

**Amendments to the Abstract**

Please amend the Abstract of the Disclosure as follows. The amendments to the Abstract of the Disclosure are also reflected in the attached Marked-Up and Clean versions of the Specification.

**ABSTRACT OF THE DISCLOSURE**

A method of producing an actuator includes shaping a block of ferroelectric material to provide an active element of the actuator. The element includes a stack of ferroelectric layers with adjacent layers separated by electrodes arranged parallel to end faces of the element. The method includes applying a primary electrode to the end faces, immersing the element and the primary electrode within a dielectric fluid, applying a primary poling voltage to the primary electrode so as to polarize the element in a first polarization direction, applying a secondary external electrode to side faces of the element, and applying a secondary poling voltage to the secondary electrode to polarize alternate layers along the first polarization direction and the other layers along a second, oppositely-directed polarization axis. The method may also include applying a conductive film to the end faces and/or applying heat to help evaporate the dielectric fluid.